UNIT COOLING TOWER			EVAPCO, INC. EVAPCO SERIAL #			DWG. # T4142448-DRA	-ST REV
MODEL #	AT 114-4K24	SCALE NTS	EVAP	CO, INC.		SERIAL #	DATE 5/5/2024
2. HÉAVIE 3. MPT DI FPT DE BFW D GVD DI FLG DE PE DEN 4. +UNIT ' ACCES 5. MAKE-I 20 psi N 6. 3/4" [19 REFER DRAWI 7. DIMEN:	N MOTOR LOCATION EST SECTION IS UPPER S ENOTES MALE PIPE THRE NOTES FEMALE PIPE TH ENOTES BEVELED FOR V ENOTES GROOVED ENOTES PLAIN END WEIGHT DOES NOT INCLI SORIES (SEE ACCESSOF UP WATER PRESSURE MIN [137 kPa], 50 psi MAX [MM] DIA. MOUNTING HOL TO RECOMMENDED STE NG SIONS LISTED AS FOLLO GLISH FT-IN ETRIC] [mm]	EAD READ VELDING UDE RY DRAWINGS) [344 kPa] .ESEEL SUPPORT		<u>PLAN V</u>	FACE B /IEW	FACE C ACCESS DOOR FACE A	FACE D
			7" [178]	1'-5 1/4 [438]	"		
			11'-2 1/4" [3410]				
			2" 51] 19'-5 1/2" [5931]		11'-10 1/2" [3620]	14" [350] BFW/GVD INLET	
			8'-3 1/4" [2521]	13'-3 3/4"			
				[441]	9" 229]	PT 14" [350] BFW/GVD OUTLET	
	13'-11 1/4' [4248] FACE B	"	3/8" [9]	9" [229]	11'-10 1/2" [3620]	23'-9" [7239] FACE A	
SHIPPING WEIGHT	18520 lbs+ [8	3405] kg+	OPERATING 34800 lbs+	[15790] kg+ HEAVIEST SEC	CTION 12680 lbs+ [5755] kg+	NO. OF SHIPPING SECTIONS	2 DRAWN BY: MER